

What is Claimed is:

1. A vanishing cream base composition suitable for topical application of an active agent to an animal or plant comprising:

- a. from about 20 to about 70 wt.% water, based on the total weight of cream base composition;
- b. at least about 10 wt.%, based on the total weight of cream base, of at least one alcohol;
- c. at least one polymeric thickening agent comprising a nitrogen containing acrylic unit;
- d. a penetration enhancing effective amount of a skin penetration enhancing compound; and
- e. an emulsifying agent;

wherein said cream base is stable upon storage at ambient conditions, and clarifies at a temperature greater than 30°C.

2. A vanishing cream composition suitable for topical application of an active agent to an animal or plant comprising:

- a. from about 20 to about 70 wt.% water, based on the total weight of cream base composition;
- b. at least about 10 wt.%, based on the total weight of cream base, of at least one alcohol;
- c. at least one polymeric thickening agent comprising a nitrogen containing acrylic unit;
- d. a penetration enhancing effective amount of a skin penetration enhancing compound;
- e. an emulsifying agent; and
- f. an active agent;

wherein said cream base is stable upon storage at ambient conditions, and clarifies at a temperature greater than 30°C.

3. The composition of claim 2 wherein said emulsifying agent is polyoxyl 40 hydrogenated castor oil.

4. The composition of claim 3 wherein said polyoxyl 40 hydrogenated castor oil is present in an amount from about 2 to about 17 wt.% based on total weight of the cream base composition.

5. The composition of claim 2 having less than about 45 wt.% water.

6. The composition of claim 2 having less than about 40 wt.% water.

7. The composition of claim 2 having less than about 35 wt.% water.

8. The composition of claim 2 wherein said at least one alcohol is present in at least about 35 wt.%.

9. The composition of claim 2 wherein said at least one alcohol is present in at least about 40 wt.%.

10. The composition of claim 2 wherein said at least one alcohol is present in at least about 45 wt.%.

11. The composition of claim 2 wherein said at least one alcohol comprises ethanol.

12. The composition of claim 2 wherein said polymeric thickening agent comprising a nitrogen containing acrylic unit is present in an amount from about 0.2 to about 10 wt.%, relative to the total weight of the cream base composition.

13. The composition of claim 2 wherein said polymeric thickening agent comprising a nitrogen containing acrylic unit is present in an amount from about 3 to about 7 wt.%, relative to the total weight of the cream base composition.

14. The composition of claim 2 wherein said polymeric thickening agent comprising a nitrogen containing acrylic unit is present in an amount from about 4 to about 6 wt.%, relative to the total weight of the cream base composition.

15. The composition of claim 2 further comprising Germaben II-E.
16. The composition of claim 2 wherein said skin penetration enhancing compound is a 1,3-dioxane, 1,3-dioxolane or acetal substituted with a C₆ to C₁₂-hydrocaryl group.
17. The composition of claim 16 wherein said skin penetration enhancing compound is 2-n-nonyl-1,3-dioxolane.
18. The composition of claim 17 wherein said 2-n-nonyl-1,3-dioxolane is present in an amount from about 5 to about 20 wt.%, relative to the total weight of the cream base composition.
19. The composition of claim 17 wherein said 2-n-nonyl-1,3-dioxolane is present in an amount from about 7 to about 15 wt.%, relative to the total weight of the cream base composition.
20. The composition of claim 2 wherein said thickener is an ammonium acryloyldimethylaurate-beheneth-25 methacrylate crosspolymer.
21. The composition of claim 2 wherein said thickener is a polyacrylamide.
22. The composition of claim 2 wherein said thickener is an acrylamide-acryloyldimethyltaurate copolymer.
23. The composition of claim 2 wherein said active agent is a non-ionic active agent.
24. The composition of claim 2 wherein said active agent is an ionic active agent.
25. The composition of claim 2 wherein said active agent is an antihypertensive, calcium channel blocker, antiarrhythmic; antiangina; beta-adrenergic, cardiotonic glycoside, adrenergic stimulant, vasodilator, antimigraine or anticoagulant.

26. The composition of claim 2 wherein said active agent is selected from an analgesic, hypnotic, sedative, neuroleptic, antipsychotic agent, antidepressant, CNS stimulant, anti-alzheimer's agent, anti-parkinson agent, antiemetic, antinauseant, nonsteroidal anti-inflammatory agent, antirheumatoid agent, muscle relaxant, gout agent or a hyperuricaemia agent.

27. The composition of claim 2 wherein said active agent is an oestrogen, progestagen, antiandrogen, antioestrogen, 5-alpha reductase inhibitor, corticosteroid, steroidal anti-inflammatory agent, pituitary hormone, hypoglycaemic agent, thyroid hormone, pituitary inhibitor or ovulation inducer.

28. The composition of claim 2 wherein said active agent is a diuretic, antidiuretic, obstetric drug or a prostaglandin.

29. ~~The composition of claim 2 wherein said active agent is an antimicrobial,~~
antiviral or antibiotic.

30. The composition of claim 2 wherein said active agent is an antitussive, expectorant, decongestant, antiasthmatic or bronchospasm relaxant.

31. The composition of claim 2 wherein said active agent is selected from an antihistamine, local anaesthetic, stratum corneum lipid, neuromuscular blocking agent or smoking cessation agent.

32. The composition of claim 2 wherein said active agent is an insecticide, dermatological agent, allergen, keratolytic, psychicenergiser, anti-acne agent, anti-psoriasis agent, anti-itch agent, anticholinergic agent or physiologically active peptide.

33. The composition of claim 2 wherein said active agent is prostaglandin E1, testosterone, hydroquinone, methylphenidate HCl, or sodium ibuprofen.

34. A vanishing cream base composition suitable for topical application of a non-ionic active agent to an animal or plant comprising:

- a. from about 20 to about 50 wt.% water, based on the total weight of cream base composition;
- b. at least about 30 wt.%, based on the total weight of cream base, of at least one alcohol;
- c. at least one polymeric thickening agent comprising a nitrogen containing acrylic unit;
- d. a penetration enhancing effective amount of a skin penetration enhancing compound;
- e. an emulsifying agent;

wherein said cream base is stable upon storage at ambient conditions, and clarifies at a temperature greater than 30°C.

~~35. A vanishing cream base composition suitable for topical application of an ionic active agent to an animal or plant comprising:~~

- ~~a. at least about 55 wt.% water, based on the total weight of cream base composition;~~
- ~~b. at least about 15 wt.%, based on the total weight of cream base, of at least one alcohol;~~
- ~~c. at least one polymeric thickening agent comprising a nitrogen containing acrylic unit;~~
- ~~d. a penetration enhancing effective amount of a skin penetration enhancing compound; and~~
- ~~e. an emulsifying agent;~~

~~wherein said cream base is stable upon storage at ambient conditions, and clarifies at a temperature greater than 30°C.~~

36. A vanishing cream composition suitable for topical application to an animal or plant comprising:

- a. from about 20 to about 50 wt.% water, based on the total weight of cream base composition;
- b. at least about 30 wt.%, based on the total weight of cream base, of at least one alcohol;

- c. at least one polymeric thickening agent comprising a nitrogen containing acrylic unit;
- d. a penetration enhancing effective amount of a skin penetration enhancing compound;
- e. a non-ionic active agent; and
- f. an emulsifying agent;

wherein said cream base is stable upon storage at ambient conditions, and clarifies at a temperature greater than 30°C.

37. A vanishing cream composition suitable for topical application of an ionic active agent to an animal or plant comprising:

- a. at least about 55 wt.% water, based on the total weight of cream base composition;
- b. at least about 15 wt.%, based on the total weight of cream base, of at least one alcohol;

-
- c. at least one polymeric thickening agent comprising a nitrogen containing acrylic unit;
 - d. a penetration enhancing effective amount of a skin penetration enhancing compound;
 - e. an emulsifying agent; and
 - f. an ionic active agent;

wherein said cream base is stable upon storage at ambient conditions, and clarifies at a temperature greater than 30°C.

38. A method of forming a vanishing cream suitable for administering a non-ionic active agent to an animal or plant comprising:
mixing:

- a. from about 20 to about 50 wt.% water, based on the total weight of cream base composition;
- b. at least about 30 wt.%, based on the total weight of cream base, of at least one alcohol;
- c. at least one polymeric thickening agent comprising a nitrogen containing acrylic unit;

- d. a penetration enhancing effective amount of a skin penetration enhancing compound;
- e. an emulsifying agent; and
- f. a non-ionic active agent.

39. A method of forming a vanishing cream suitable for administering a ionic active agent to an animal or plant comprising:
mixing:

- a. from about 20 to about 50 wt.% water, based on the total weight of cream base composition;
- b. at least about 30 wt.%, based on the total weight of cream base, of at least one alcohol;
- c. at least one polymeric thickening agent comprising a nitrogen containing acrylic unit;
- d. ~~a penetration enhancing effective amount of a skin penetration enhancing~~
compound;
- e. an emulsifying agent; and
- f. an ionic active agent.

40. A method of administering a non-ionic active agent to a plant or animal in need thereof comprising: applying the vanishing cream formulation of claim 2 to said plant or animal.

41. A method of administering a non-ionic active agent to a plant or animal in need thereof comprising: applying the vanishing cream formulation of claim 2 to said plant or animal.

42. A vanishing cream composition suitable for topical application to an animal comprising:

- a. from about 25 to 50 wt.% water, based on the total weight of cream base composition;
- b. from about 25 to about 45 wt.%, based on the total weight of cream base, of at least one alcohol;

- c. at least one polymeric thickening agent comprising a nitrogen containing acrylic unit;
- d. a penetration enhancing effective amount of a skin penetration enhancing compound;
- e. an emulsifying agent; and
- f. from about 0.5 wt.% to about 5 wt.% testosterone;

wherein said cream base is stable upon storage at ambient conditions, and clarifies at a temperature greater than 30°C.

43. A vanishing cream composition suitable for topical application to an animal comprising:

- a. from about 40 to about 50 wt.% water, based on the total weight of cream base composition;
- b. from about 35 to about 50 wt.%, based on the total weight of cream base, of at least one alcohol;

-
- c. at least one polymeric thickening agent comprising a nitrogen containing acrylic unit;
 - d. a penetration enhancing effective amount of a skin penetration enhancing compound;
 - e. an emulsifying agent; and
 - f. from about 0.5 wt.% to about 5 wt.% prostaglandin E1;

wherein said cream base is stable upon storage at ambient conditions, and clarifies at a temperature greater than 30°C.

44. A vanishing cream composition suitable for topical application to an animal comprising:

- a. from 0 to about 20 wt.% water, based on the total weight of cream base composition;
- b. at least 60 wt.%, based on the total weight of cream base, of at least one alcohol;
- c. at least one polymeric thickening agent comprising a nitrogen containing acrylic unit;
- d. a penetration enhancing effective amount of a skin penetration enhancing compound;

- e. an emulsifying agent; and
- f. from about 1 wt.% to about 5 wt.% hydroquinone;

wherein said cream base is stable upon storage at ambient conditions, and clarifies at a temperature greater than 30°C.

45. A vanishing cream composition suitable for topical application of an ionic active agent to an animal or plant comprising:

- a. from about 60 to about 75 wt.% water, based on the total weight of cream base composition;
 - b. from about 10 to about 20 wt.%, based on the total weight of cream base, of at least one alcohol;
 - c. at least one polymeric thickening agent comprising a nitrogen containing acrylic unit;
 - d. a penetration enhancing effective amount of a skin penetration enhancing compound;
-

- e. an emulsifying agent; and
- f. from about 1 wt.% to about 10 wt.% ibuprofen;

wherein said cream base is stable upon storage at ambient conditions, and clarifies at a temperature greater than 30°C.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER: _____**

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.